

ENGINEERING YOUR SUCCESS.

The profitability generator



"We are set to recoup the capital cost within 18-24 months. So effectively, we'll be producing free nitrogen on-tap, without the risk of production downtime."

James Sweeting - Director, Lincoln & York, coffee producer, United Kingdom

-

The profitability generator

How much do you rely on nitrogen? It's a vital element of production for a huge range of businesses, from foods and material processing to pharmaceuticals and electronics. It's also a significant cost component. But now there's a new way of thinking about nitrogen – as a source of *increased productivity, sustainability and above all, profitability.*

Continuous supply, ultimate reliability, competitive advantage

When you switch to gas generation with Parker domnick hunter's NITROSource, you can expect payback within six to 24 months, depending on your existing arrangements and consumption. But you're also making an investment in quality through uninterrupted supply, stable gas pressure, consistent flow and guaranteed purity. It's a golden opportunity to gain an advantage over your competitors.

Lowest total lifetime cost

With unique design and advanced Energy Saving Technology at its core, the market leading NITROSource on-site generator requires less compressed air to generate more nitrogen than other solutions. Which translates into reduced energy consumption. Together with substantially lower servicing costs, reduced downtime and a longer working life, it adds up to the most cost-efficient nitrogen supply available; Significantly more affordable than traditional sources, and delivering huge savings over the lifetime of the generator.



Trusted innovation

With over 20 years' experience in the market, and over 50,000 units installed globally, Parker is first choice for innovative and reliable gas generation technology.



Advanced technology for industry leading performance

A product of Parker's worldwide R&D resources and featuring a host of intelligent engineering solutions, unique technology and a sleek space-saving design, NITROSource is designed to work more efficiently for customers. Purely and simply, it's better inside and out.

NITROSource offers a number of significant advantages over delivered gas options, as well as traditional generator designs. So when you're considering on-site supply, NITROSource is the benchmark specification for maximum performance and lowest lifetime cost.

Highest efficiency, highest output nitrogen gas generator

Developed through extensive research and design, utilising the latest flow modelling technology, materials and controls system, NITROSource is the highest efficiency nitrogen generator. Using less compressed air, it produces nitrogen at the lowest unit cost.

Carbon Molecular Sieve (CMS)

NITROSource employs the most robust, highest efficiency CMS - the material that removes the oxygen from the compressed air stream. This is the 'engine' of the generator, and the source of valuable performance benefits: more gas for less compressed air, reducing energy consumption; a very long working life – saving money on replacements; and less CMS per unit of gas produced, enabling a more compact unit.

PSA technology

utilising Carbon Molecular Sieve - designed for over 10 year's operational life. Easy-to-use control panel plus mass flow controller and economy stand-by mode.



expandability, and compact footprint for maximum versatility and optimum use of factory space. Unique Energy Saving Technology: Exactly matches compressed air flow with nitrogen gas outlet flow and purity, for lowest energy consumption.







Independently tested by a third party UKAS authority, NITROSource offers total compliance with guidelines around food and pharmaceutical applications, so that it can be specified with complete peace of mind:

- Produces pharmaceutical and food grade nitrogen gas in accordance with European statute.
- Manufactured from materials that are safe for gas contact with pharmaceutical and food products, in line with the USA Food & Drugs Administration Article 21 (FDA Article 21).

Unique Energy Saving Technology (EST)

Dramatically reduces compressed air consumption and energy cost, by ensuring that the inlet compressed air flow is always exactly matched to the nitrogen gas outlet flow and purity.

Expandable

Avoids unnecessary investment in surplus capacity at the outset. As an expandable system, NITROSource can be exactly specified for only the current requirement, and simply enlarged with additional generators - as and when demand increases. And with 100% back up provided by a single extra generator, there are extra savings on duplicating the complete set up.

Remote monitoring

With 'MODBUS', single or multiple generators can be connected to proprietary remote management and generator control systems; available as standard through an integral connection on the NITROSource.

Gas quality control system

Designed with five key components at its heart, NITROSource offers the assurance of the correct quality gas at all times.

- Mass Flow Controller whatever happens downstream, the generator will continue to deliver the correct set pressure and flow, removing the risk of any over-flow or compromise in nitrogen purity.
- Integral Oxygen Analyser constantly measures the oxygen content in the output gas stream, ensuring that it is within the set limits and the correct purity gas is delivered.
- Off-Gas-By-Pass ensures that the correct gas purity is always delivered to the application, by automatically allowing out-of-specification gas to vent to the atmosphere during start up, or in the unusual event of a fault.
- Inlet and outlet pressure regulation guarantees the correct compressed air-inlet and nitrogen gas-outlet pressures, ensuring maximum operating efficiency and safeguarding both equipment and product from potential damage or spoilage.
- Purpose designed electronic control system – ensures the correct quality, pressure and flow of nitrogen, through 100% control of all critical generator functions, including economy control, monitoring outputs and alarms.

Integral Oxygen Analyser – Constant monitoring ensuring the correct gas purity.

0



The profitability generator

The most economical source of nitrogen

1 1 1

1

T T

I

I

I I

t

I

I

I

L

T

Ŧ

Т

1


Т

≁√

Year 1

Cost of ownership

With traditional methods of gas supply, users are liable for 'hidden extra costs' such as cylinder rental, delivery and administration charges on top of the headline gas price. In addition, liquid 'boil-off' vents expensive gas into the atmosphere, and approximately 10% of the gas in every cylinder is typically returned to the supplier unused. So when the true costs are accounted for, gas generation with NITROSource is the most economical source of nitrogen – making a positive contribution to the bottom line.



^{*} based on approximately 10m³/hour for 4000 hours/year using cylinders or manifolded cylinder packs

t

Year 2

Year 3

The tipping point

With NITROSource you can expect payback within six to 24 months* (depending on agreed gas delivery 'terms' and consumption). So after the initial investment, NITROSource costs reduce dramatically, while the costs of traditional methods continue to grow year on year.


Energy saving

Packed with advanced energy-efficient technology, NITROSource consumes less compressed air and energy than traditional generators – delivering substantial cost savings as well as greater sustainability in the long run.

Lowest cost maintenance and parts

Built around Parker's high efficiency, and very long life Carbon Molecular Sieve, NITROSource requires a fraction of the maintenance and expensive replacement parts demanded by other gas generators – representing decisive cost-savings over the lifetime of the product.





Increased profitability for producers in a wide range of markets

NITROSource is the ideal solution for manufacturers and suppliers in a variety of industries, from food to pharmaceuticals, electronics and material processing. As a permanently installed solution, it brings a significantly reduced risk of gas contamination - unlike traditional supplies that require the user to break into the sealed system in order to connect and disconnect cylinders and liquid filling equipment.



NITROSource is managed 24/7 through an advanced electronic control system, designed to offer complete reassurance over gas purity and safety. The system governs a range of integrated technologies which, together, optimise all of the critical factors, including economy, quality, pressure and flow.

NITROSource is the only generator fitted with a Mass Flow Controller as standard, to ensure correct pressure and flow, regardless of outside factors. Gas purity is continually measured by the Integral Oxygen Analyser, with any 'out-of specification' gas automatically vented away from the application through the Off-Gas By-Pass.

With a modular design, NITROSource is expandable to suit different volumes and flow rates, delivering vital savings and supporting profitability on every type of process and application. You can generate as much or as little nitrogen as you require, with total confidence, and 100% on demand. And you don't have to pay for excess capacity you don't need.

Food, beverage and pharmaceutical safe

NITROSource has independent third-party food and beverage safety accreditation to demonstrate full compliance with European statute for food and pharmaceutical grade gases as well as the USA Food & Drugs Administration (FDA) Article 21; making it a risk-free choice for food, beverage and pharmaceutical applications.

Additional peace of mind with Parker extended warranty

Like all Parker products, NITROSource is precision engineered for outstanding reliability and performance. But for added peace of mind, you are automatically entitled to our free five year extended warranty through Parker (providing that your equipment is maintained through the approved Parker service programme, using only genuine Parker components). Should the unexpected happen, you'll be entitled to a full replacement or repair, carried out by fully trained Parker certified technicians.*

*Parker extended warranty extends for five years or 40,000 operating hours from the date of commissioning, or 66 months from date of manufacture, whichever is the soonest. For full conditions, please contact your distributor. NITROSource is appropriate for manufacturers and producers in a wide range of industries:

- Food production, processing, storage and packaging
 - snacks, dairy, grated cheese, milk powder coffee, edible oils
- Beverage and bottling
- Pharmaceuticals
 - primary and secondary manufacturing, centralised laboratory, inert storage and packaging
- Materials processing
 - laser cutting, heat treatment and composite manufacturing

N2 NITROSource

- Electronics



Upgrade your nitrogen source

Bringing together advanced energy-efficient technologies, Parker engineering know-how, and in-depth understanding of customer needs, NITROSource sets a new level of specification for gas generation:

Energy efficiency

Expandable

Reduced compressed air and energy consumption, lowest unit cost nitrogen.

Lower cost maintenance, very long working life

The Carbon Molecular Sieve filtration delivers nitrogen more efficiently, leading to a very long working life – and major savings on maintenance and replacements.

Five year warranty

Free through Parker extended warranty, offering the assurance of no unexpected maintenance costs.

Industry compliance

Food and pharmaceutical safe, in line with European statute and the USA Food & Drugs Administration (FDA Article 21).

Energy Saving Technology

Matches compressed air flow to the nitrogen outlet flow and purity, reducing compressed air use, and saving energy and money.

Add extra capacity as the application requirement grows.

Quality control

- Mass Flow Controller ensuring correct set pressure and flow.
- Integral Oxygen Analyser constantly measuring gas purity.
- Off-Gas By-Pass automatically vents off out-of-specification gas.
- Inlet and outlet pressure regulation preventing damage to the generator or application.
- Electronic control system
 100% management of all critical generator functions.

Remote monitoring

Enabling connection to proprietary remote management and generator control systems.

Offering increased efficiency and performance, maximum sustainability, and purity you can rely on, NITROSource adds up to the smartest solution for gas supply. And with the most dependable, lowest cost nitrogen generation safely in place, you're free to concentrate on what matters to you; creating value for your customers, and building profit for your business.

Find out more about how NITROSource can increase your profitability. For more information or a detailed discussion about your specific nitrogen requirements, contact an authorised Parker distributor.

N2 NITROSource

N. NITROSource

1

Parker Worldwide

Europe, Middle East, Africa

AE – United Arab Emirates, Dubai Tel: +971 4 8127100 parker.me@parker.com

AT – Austria, Wiener Neustadt Tel: +43 (0)2622 23501-0 parker.austria@parker.com

AT – Eastern Europe, Wiener Neustadt Tel: +43 (0)2622 23501 900 parker.easteurope@parker.com

AZ – Azerbaijan, Baku Tel: +994 50 2233 458 parker.azerbaijan@parker.com

BE/LU – Belgium, Nivelles Tel: +32 (0)67 280 900 parker.belgium@parker.com

BG - Bulgaria, Sofia Tel: +359 2 980 1344 parker.bulgaria@parker.com

BY – Belarus, Minsk Tel: +375 17 209 9399 parker.belarus@parker.com

CH – Switzerland, Etoy Tel: +41 (0)21 821 87 00 parker.switzerland@parker.com

CZ – Czech Republic, Klecany Tel: +420 284 083 111 parker.czechrepublic@parker.com

DE – Germany, Kaarst Tel: +49 (0)2131 4016 0 parker.germany@parker.com

DK – Denmark, Ballerup Tel: +45 43 56 04 00 parker.denmark@parker.com

ES – Spain, Madrid Tel: +34 902 330 001 parker.spain@parker.com

FI – Finland, Vantaa Tel: +358 (0)20 753 2500 parker.finland@parker.com

FR – France, Contamine s/Arve Tel: +33 (0)4 50 25 80 25 parker.france@parker.com

GR – Greece, Athens Tel: +30 210 933 6450 parker.greece@parker.com HU – Hungary, Budaörs Tel: +36 23 885 470 parker.hungary@parker.com

IE – Ireland, Dublin Tel: +353 (0)1 466 6370 parker.ireland@parker.com

IT – Italy, Corsico (MI) Tel: +39 02 45 19 21 parker.italy@parker.com

KZ – Kazakhstan, Almaty Tel: +7 7273 561 000 parker.easteurope@parker.com

NL – The Netherlands, Oldenzaal Tel: +31 (0)541 585 000 parker.nl@parker.com

NO – Norway, Asker Tel: +47 66 75 34 00 parker.norway@parker.com

PL – Poland, Warsaw Tel: +48 (0)22 573 24 00 parker.poland@parker.com

PT – Portugal, Leca da Palmeira Tel: +351 22 999 7360 parker.portugal@parker.com

RO – Romania, Bucharest Tel: +40 21 252 1382 parker.romania@parker.com

RU – Russia, Moscow Tel: +7 495 645-2156 parker.russia@parker.com

SE – Sweden, Spånga Tel: +46 (0)8 59 79 50 00 parker.sweden@parker.com

SK – Slovakia, Banská Bystrica Tel: +421 484 162 252 parker.slovakia@parker.com

SL – Slovenia, Novo Mesto Tel: +386 7 337 6650 parker.slovenia@parker.com

TR – Turkey, Istanbul Tel: +90 216 4997081 parker.turkey@parker.com

UA – Ukraine, Kiev Tel +380 44 494 2731 parker.ukraine@parker.com

UK – United Kingdom, Warwick Tel: +44 (0)1926 317 878 parker.uk@parker.com **ZA – South Africa,** Kempton Park Tel: +27 (0)11 961 0700 parker.southafrica@parker.com

North America

CA – Canada, Milton, Ontario Tel: +1 905 693 3000

US – USA, Cleveland Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill Tel: +61 (0)2-9634 7777

CN – China, Shanghai Tel: +86 21 2899 5000

HK – Hong Kong Tel: +852 2428 8008

IN – India, Mumbai Tel: +91 22 6513 7081-85

JP – Japan, Tokyo Tel: +81 (0)3 6408 3901

KR – South Korea, Seoul Tel: +82 2 559 0400

MY – Malaysia, Shah Alam Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington Tel: +64 9 574 1744

SG – Singapore Tel: +65 6887 6300

TH – Thailand, Bangkok Tel: +662 186 7000-99

TW – Taiwan, Taipei Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires Tel: +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos Tel: +55 800 727 5374

CL – Chile, Santiago Tel: +56 2 623 1216

MX – Mexico, Toluca Tel: +52 72 2275 4200

European Product Information Centre Free phone: 00 800 27 27 5374 (from AT, BE, CH, CZ, DE, DK, EE, ES, FI, FR, IE, IL, IS, IT, LU, MT, NL, NO, PL, PT, RU, SE, SK, UK, ZA)

© 2014 Parker Hannifin Corporation. All rights reserved. Catalogue 174004485_00_EN 12/14

Parker Hannifin Manufacturing Limited domnick hunter Filtration and Separation Division Dukesway, Team Valley Trading Estate Gateshead, Tyne and Wear England NE11 0PZ Tel: +44 (0)191 402 9000 Fax: +44 (0)191 482 6296 www.parker.com/dhfns

